


## TEKNOFLOOR AQUA



|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Program operator, publisher:</b>                                                 | Rakennustietosäätiö RTS Building Information Foundation RTS<br>Malminkatu 16 A<br>00100 Helsinki<br><a href="http://cer.rts.fi">http://cer.rts.fi</a>                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Owner of the declaration:</b>                                                    | Teknos Group Oy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Name of the product:</b>                                                         | TEKNOFLOOR AQUA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Registration number:</b>                                                         | RTS_233_23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Issue date:</b>                                                                  | 08.05.2023                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Valid to:</b>                                                                    | 08.05.2028                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Scope of the declaration</b>                                                     | This environmental product declaration covers the environmental impacts of the TEKNOFLOOR AQUA coatings. The declaration has been prepared in accordance with EN 15804:2019 and ISO 14025 standards and the additional requirements stated in the RTS PCR (English version, 26.8.2020). This declaration covers the life cycle stages from cradle to gate with options (A4 and A5), modules C1–C4, and module D. EPD of construction products may not be comparable if they do not comply with EN15804 and seen in a building context. |
|  | <div> <br/> Jukka Seppänen<br/> RTS EPD Committee Secretary </div> <div> <br/> Laura Apilo<br/> Managing Director </div>                                                                                                                                                                                                                                       |

|                                                                                                                                                                 |                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| Verified according to the requirements of EN 15804:2019 (product group rules)                                                                                   |                                              |
| Independent verification of the declaration and data, according to ISO14025:2010 is                                                                             |                                              |
| <input type="checkbox"/> Internal                                                                                                                               | <input checked="" type="checkbox"/> External |
| <p>Third party verifier:</p>  <p>8.5.2023</p> <p>Anni Viitala, Granlund Oy</p> |                                              |

### General information, goal and verification of declaration

#### 1. Owner of the declaration, manufacturer

Teknos Group Oy,  
Takkatie 3,  
FI-00370 Helsinki, Finland  
+358 9 506 091S

#### 2. Product name and number

| Product series  | Product name    | Color                             |
|-----------------|-----------------|-----------------------------------|
| TEKNOFLOOR AQUA | TEKNOFLOOR AQUA | Base Paint 1, Base Paint 3, T4017 |

#### 3. Place of production

Produced in Finland: Rajamäki.

#### 4. Additional technical information

Further information can be found at:

TEKNOFLOOR AQUA: [https://www.teknos.com/document/tds/TEKNOFLOOR%20AQUA\\_002000\\_TDS\\_en.pdf](https://www.teknos.com/document/tds/TEKNOFLOOR%20AQUA_002000_TDS_en.pdf)

#### 5. Product Category Rules and the scope of the declaration

The declaration has been prepared in accordance with EN 15804:2019 and ISO 14025 standards and the additional requirements stated in the RTS PCR (English version, 26.8.2020). Geographical representativeness is taken into account by opting for the most representative scenarios available, Finland specifically, and Europe generally.

#### 6. Author of the life-cycle assessment and declaration

Ecomatters B.V.

Weg der Verenigde Naties 1, 3527 KT Utrecht

tel +31 (0) 6 44836384

<https://www.ecomatters.nl/>.

Compiler Ecomatters.

Evaluation made according to values in 2023.

#### 7. Verification

The declaration has been prepared in accordance with EN 15804:2019 and ISO 14025 standards and the additional requirements stated in the RTS PCR (English version, 26.8.2020). The declaration was verified by Anni Viitala, Granlund Oy, according to abovementioned standards and PCR rules.

Malminkaari 21, 00701 Helsinki

<https://www.granlund.fi/>

Third party verification on 8.5.2023. Verification is valid 8.5.2023

**8. Declaration issue date and validity**

Declaration issue date 8.5.2023. The declaration is valid 5 years, 8.5.2023-8.5.2028.

## Product information

### 9. Product description



**TEKNOFLOOR AQUA:** Suitable for unpainted and previously with alkyd, urethane alkyd or acrylate paints painted surfaces of concrete and wood: for floors, stairs etc. in dry spaces indoors as well as for rooms, cellars and storage spaces when the surfaces are affected by normal strain. May also be used on concrete surfaces in outdoor spaces, which are protected from weather.

This EPD represents the highest environmental impact for the TEKNOFLOOR AQUA products.

### 10. Results of environmental information reported per kilogram

#### TEKNOFLOOR AQUA

| Environmental Impact Category                                                    | Unit                       | A3       | A1-A3    | A4       | A5       | B1-B7 | C1       | C2       | C3       | C4       | D         |
|----------------------------------------------------------------------------------|----------------------------|----------|----------|----------|----------|-------|----------|----------|----------|----------|-----------|
| Global Warming Potential total (GWP-total)                                       | kg CO <sub>2</sub> eq/kg   | 9.35E-01 | 3.55E+00 | 6.64E-02 | 4.65E-01 | NR    | 0.00E+00 | 7.23E-03 | 0.00E+00 | 4.26E-01 | -7.00E-02 |
| Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)       | kg Sb eq./kg               | 6.42E-07 | 1.42E-05 | 1.53E-07 | 9.08E-07 | NR    | 0.00E+00 | 1.66E-08 | 0.00E+00 | 2.36E-07 | -4.45E-08 |
| Abiotic depletion for fossil resources potential (ADP-fossil)                    | MJ. Net calorific value/kg | 1.23E+01 | 5.90E+01 | 1.04E+00 | 2.65E+00 | NR    | 0.00E+00 | 1.13E-01 | 0.00E+00 | 2.00E+00 | -1.38E+00 |
| Water (user) deprivation potential, deprivation-weighted water consumption (WDP) | M3world eq. deprived/kg    | 2.20E-01 | 2.15E+00 | 5.31E-03 | 3.87E-02 | NR    | 0.00E+00 | 5.78E-04 | 0.00E+00 | 1.34E-02 | -2.72E-02 |
| Biogenic carbon content in product                                               | kg C/kg                    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  |
| Use of secondary material                                                        | kg/kg                      | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  |

### 11. Description of product and its use

TEKNOFLOOR AQUA is a water-borne acrylate based floor paint for indoor use. For new and previously with alkyd or acrylate paint painted concrete and wooden surfaces: floors and stairs, rooms, cellars, storage spaces etc. Finish: semigloss.

#### Product standards (c-PCR)

c-PCR is not used in the calculations.

### 12. Physical properties

TEKNOFLOOR AQUA is a waterborne coating for indoor floors. It covers 7-9 m<sup>2</sup>/l and is applied in 1 or 2 layers.

### 13. Raw materials of the product and product information

| Product structure / composition / raw-material | Quantity p%* | Usability |               |          | Origin of the raw materials |
|------------------------------------------------|--------------|-----------|---------------|----------|-----------------------------|
|                                                |              | Renewable | Non-renewable | Recycled |                             |
| Additives                                      | 8-10%        |           | x             |          | Europe/Global.              |
| Colorants                                      | 1-2%         |           | x             |          | Europe/Global.              |
| Extenders                                      | 8-10%        |           | x             |          | Europe/Global.              |
| Pigments                                       | 9-12%        |           | x             |          | Europe/Global.              |
| Resins                                         | 15-21%       |           | x             |          | Europe/Global.              |
| Solvents                                       | 40-50%       |           | x             |          | Europe/Global.              |

\*Order of magnitude, not exact composition

#### 14. Substances under European Chemicals Agency's REACH, SVHC restrictions

<http://echa.europa.eu/web/guest/candidate-list-table> Compulsory CAS-number

| Name             | EC Number | CAS Number |
|------------------|-----------|------------|
| Does not include | -         | -          |

#### SCOPE OF LIFE CYCLE ASSESMENT (Standard 7.2.1-2)

Mark all the covered modules of the EPD with X. Mandatory modules are marked with blue in the table below. This declaration covers "cradle-to-gate with options". Please fulfil relevant stages "R" (relevant) and non-relevant stages "NR".

| Product stage                       |                                     |                                     | Construction process stage          |                                     | Use stage |             |        |             |               |                        |                       | End of life stage                   |                                     |                                     |                                     | Supplementary information beyond the life cycle |                                     |                                     |
|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------|-------------|--------|-------------|---------------|------------------------|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------------------|-------------------------------------|-------------------------------------|
| A1                                  | A2                                  | A3                                  | A4                                  | A5                                  | B1        | B2          | B3     | B4          | B5            | B6                     | B7                    | C1                                  | C2                                  | C3                                  | C4                                  | D                                               | D                                   | D                                   |
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | NR        | NR          | NR     | NR          | NR            | NR                     | NR                    | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/>             | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Raw material supply                 | Transport                           | Manufacturing                       | Transport                           | Construction-Installation process   | Use       | Maintenance | Repair | Replacement | Refurbishment | Operational energy use | Operational water use | De-construction demolition          | Transport                           | Waste processing                    | Disposal                            | Reuse                                           | Recovery                            | Recycling                           |

|  |
|--|
|  |
|  |
|  |

Mandatory modules

Mandatory as per the RTS PCR section 6.2.1 rules and terms

Optional modules based on scenarios

#### 15. Functional / declared unit

The environmental performance of the paints is calculated using the declared unit "1 m<sup>2</sup> of paint". This declared unit encompasses the following paint characteristics: paints coverage (m<sup>2</sup>/l), density (kg/l) and number of layers needed in its application. Therefore, the declared unit was calculated as follows:

$$\text{Declared Unit} = \text{Coverage [kg/m}^2\text{]} \times \text{number of layers}$$

| Product         | kg/m <sup>2</sup> |
|-----------------|-------------------|
| TEKNOFLOOR AQUA | 3.48E-01          |

#### 16. System boundary

This LCA is a Cradle-to-Grave with options. All major steps, from the extraction of natural resources to the final disposal of the product, are included in the scope of the study. The life cycle stages included are A1-A5, C2 and C4 and D. The use stage, B, is not considered in this study, since no impact are associated with the use stage. C1 and C3 are excluded, because there are no dismantling or demolition activities and no waste processing steps respectively. All impacts associated with the upstream production of materials and energy are included in the system boundaries. Mining activities and controlled landfills are included in the product systems. Wastewater treatment is not considered within the


technological systems since it is already included in the solid waste treatment processes. The emissions and resource extractions derived from these processes are considered elementary exchanges between the product systems and the environment.

Paint products do not consume resources and are not released into the environment during the use phase. Moreover, painted surfaces do not require maintenance, repair, replacement or refurbishment beyond their normal use, so no impact is considered for modules B1 to B7 and therefore excluded in this assessment.

Regarding the end-of-life stage, the waste processing stage (C3) is irrelevant as no further processing is required during the end-of-life of decorative paints since they are disposed together with the substrate where they are applied on and not reused or recycled. Since the efficiency rate cannot be considered higher than 60% it is not included in this assessment.

Module D is included to show the benefits and loads beyond the system boundary from the net output of recovered energy from the product system. Energy recovery values for the paint waste are taken on the default level in PEFCR for decorative paints: 1.01 MJ of electricity and 2.16 MJ of heat per kg of waste. Energy recovery values for the packaging materials waste are taken from the background documentation of the respective Ecoinvent datasets.

The allocation is made in accordance with EN15804:A2. Allocation is based on physical and production shares. Energy and water use are allocated according to production volume.



## 17. Cut-off criteria

There was no cut-off of raw materials or other inputs or outputs in any stage of the life cycle. Cut-offs in the background processes are according to the respective methodologies (see documentation of the relevant processes [Wernet, G. et al. 2016; <https://www.ecoinvent.org/>], [Dahlgren, L. et al., 2016]). Furthermore, brushes, clothes, buckets etc., used during the application process are excluded from the assessment since they are being considered capital goods.

## 18. Production process

The following variables have been taken into account during the production phase of the coating. Energy inputs – electricity, diesel, liquefied petroleum gas and water – production outputs – hazardous and non-hazardous waste, wastewater, and direct VOC emissions. After the production of the paints the produces are packaged.

### A1. Raw materials supply

Life-cycle stage A1 includes the extraction and processing of raw materials which occur upstream to the TEKNOFLOOR manufacturing process, as well as waste processing up to the end-of-waste state.

### A2. Transportation of raw materials to manufacturer

Life-cycle stage A2 includes the transport mode and distance of the raw materials to the production facility.

| Raw material transport | Quantiy                  |
|------------------------|--------------------------|
| Type of truck          | Lorry, total weight >32t |
| Distance               | 460 km                   |
| Capacity               | 64%                      |

### A3. Manufacturing

Life-cycle stage A3 includes the manufacturing of TEKNOFLOOR coatings and includes all processes linked to the production, for example mixing, packaging and transportation. The use of energy, electricity and fuels are taken into account too. Primary production data was obtained, regarding the inputs. For the electricity grid mix the EcolInvent 3.8 database was used. Generic data was used for upstream and downstream processes (application, use and waste processing), when no specific data was obtained. The production data was obtained for one production site, Rajamäki, Finland.

For the Paint packaging, the data for the steel tinplated was obtained from primary data for the other packaging formats default values were used from the Product Environmental Footprint Category Rules - Decorative Paints document version 1.0 published by Technical Secretariat Decorative Paints from the European Council of the Paint, Printing Ink and Artists' Colours Industry (CEPE) and reviewed in April 2018.

| Packaging format   | Unit        | Packaging      |
|--------------------|-------------|----------------|
| Cardboard          | kg/kg paint | 0.001092       |
| Polyethylene film  | kg/kg paint | 0.001236       |
| Polypropylene      | kg/kg paint | 0.0487116      |
| Polypropylene part | kg/kg paint | 0.046392       |
| Steel tinplated    | kg/kg paint | paint specific |
| Wooden pallets     | kg/kg paint | 0.061824       |

#### A4. Transport of Regional Distribution Centre and customer

Life-cycle stage A4 includes the transportation downstream from the production facility. For all transportation modes and distances for all produced paint from the production facility to the RDC and final customer, default data was used.

| Coating transport | Factory to RDC           | RDC to PoS               |
|-------------------|--------------------------|--------------------------|
| Type of truck     | Lorry, total weight >32t | Lorry, total weight >32t |
| Distance          | 350 km                   | 370 km                   |
| Capacity          | 64%                      | 64%                      |

#### A5. Application and use

Life-cycle stage A5 includes the environmental impacts during application and use of the coating. Auxiliary materials such as brushers and rollers are not taken into account. The impact of energy to spray the coating is neglectable and therefore not considered in this study.

In the application VOC emissions are emitted and include in this life-cycle stage.

#### C2. Transport of waste material

Life-cycle stage C2 includes the impacts of the transportation mode and distance (one-way) to the end-of-life treatment site.

| End-of-life transport | PoS to waste processing  |
|-----------------------|--------------------------|
| Type of truck         | Lorry, total weight >32t |
| Distance              | 80 km                    |
| Capacity              | 64%                      |

#### C4. Disposal

Life-cycle stage C4 includes the impact of the end-of-life treatment at the disposal site. It is assumed that paint is used on both interior and exterior surfaces and that in both cases paint is lost during application. The paint that is not lost is considered applied.

#### D. Benefits and loads beyond the system boundaries

Module D has the impacts of benefits and loads beyond the system boundaries. It is assumed that benefits and loads arise from the potential energy recovery in the incineration of non-hazardous waste scenario including wet paint, as well as from energy collected from the waste treatment of hazardous waste and hazardous wet paint waste in stages A5 and C4. As a conservative assumption.



## SCOPE OF THE LIFE-CYCLE ASSESSMENT (Standard 7.2.3–7.2.4)

**19. Environmental impacts (7.2.3, table 3)** The results of the impact assessment are relative. They do not predict the effects on the weighted values of the categories, the exceedance limits, safety margins and risks.

### TEKNOFLOOR AQUA

| Indicators                                                                                          | Unit                    | A1-A3     | A4       | A5       | B1-B7 | C1       | C2       | C3       | C4       | D         |
|-----------------------------------------------------------------------------------------------------|-------------------------|-----------|----------|----------|-------|----------|----------|----------|----------|-----------|
| Global Warming Potential total (GWP-total)                                                          | kg CO <sub>2</sub> ekv  | 1.23E+00  | 2.31E-02 | 1.62E-01 | NR    | 0.00E+00 | 2.51E-03 | 0.00E+00 | 1.48E-01 | -2.43E-02 |
| Global Warming Potential fossil fuels (GWP-fossil)                                                  | kg CO <sub>2</sub> ekv  | 1.25E+00  | 2.30E-02 | 1.42E-01 | NR    | 0.00E+00 | 2.50E-03 | 0.00E+00 | 1.48E-01 | -2.32E-02 |
| Global Warming Potential biogenic (GWP-biogenic)                                                    | kg CO <sub>2</sub> ekv  | -1.90E-02 | 8.40E-05 | 1.96E-02 | NR    | 0.00E+00 | 9.14E-06 | 0.00E+00 | 1.12E-04 | -1.15E-03 |
| Global Warming Potential land use and land use change (GWP-luluc)                                   | kg CO <sub>2</sub> ekv  | 1.50E-03  | 8.60E-06 | 2.56E-05 | NR    | 0.00E+00 | 9.35E-07 | 0.00E+00 | 7.16E-06 | -2.81E-05 |
| Depletion potential of the stratospheric ozone layer (ODP)                                          | kg CFC 11 ekv           | 1.08E-07  | 5.53E-09 | 1.71E-08 | NR    | 0.00E+00 | 6.02E-10 | 0.00E+00 | 1.15E-08 | -2.36E-09 |
| Acidification potential, Accumulated Exceedance (AP)                                                | mol H <sup>+</sup> eqv  | 5.94E-03  | 1.17E-04 | 2.42E-04 | NR    | 0.00E+00 | 1.27E-05 | 0.00E+00 | 1.53E-04 | -7.31E-05 |
| Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater) | kg PO <sub>4</sub> -ekv | 2.67E-04  | 1.44E-06 | 8.77E-06 | NR    | 0.00E+00 | 1.57E-07 | 0.00E+00 | 1.66E-06 | -1.18E-05 |
| Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)         | kg N ekv.               | 1.08E-03  | 4.00E-05 | 4.92E-05 | NR    | 0.00E+00 | 4.37E-06 | 0.00E+00 | 2.56E-05 | -1.40E-05 |
| Eutrophication potential, Accumulated Exceedance (EP-terrestrial)                                   | mol N ekv.              | 9.64E-03  | 4.39E-04 | 4.95E-04 | NR    | 0.00E+00 | 4.78E-05 | 0.00E+00 | 2.84E-04 | -1.29E-04 |
| Formation potential of tropospheric ozone (POCP)                                                    | kg NMVOC eq.            | 8.97E-03  | 1.31E-04 | 1.49E-04 | NR    | 0.00E+00 | 1.43E-05 | 0.00E+00 | 9.05E-05 | -3.74E-05 |
| Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)                          | kg Sb eq.               | 4.95E-06  | 5.32E-08 | 3.16E-07 | NR    | 0.00E+00 | 5.79E-09 | 0.00E+00 | 8.22E-08 | -1.55E-08 |
| Abiotic depletion for fossil resources potential (ADP-fossil)                                       | MJ. Net calorific value | 2.05E+01  | 3.63E-01 | 9.21E-01 | NR    | 0.00E+00 | 3.95E-02 | 0.00E+00 | 6.96E-01 | -4.81E-01 |
| Water (user) deprivation potential, deprivation-weighted water consumption (WDP)                    | M3world eq. deprived    | 7.48E-01  | 1.85E-03 | 1.35E-02 | NR    | 0.00E+00 | 2.01E-04 | 0.00E+00 | 4.65E-03 | -9.46E-03 |

### 20. Standard 7.2.3.2 Additional environmental impact indicators (voluntary information).

#### TEKNOFLOOR AQUA

| Indicator                                                  | Unit                 | A1-A3    | A4       | A5       | B1-B7 | C1       | C2       | C3       | C4       | D         |
|------------------------------------------------------------|----------------------|----------|----------|----------|-------|----------|----------|----------|----------|-----------|
| Potential incidence of disease due to PM emissions (PM)    | Incidence of disease | 6.09E-08 | 2.13E-09 | 2.09E-09 | NR    | 0.00E+00 | 2.32E-10 | 0.00E+00 | 1.46E-09 | -2.03E-10 |
| Potential Human exposure efficiency relative to U235 (IRP) | kBq U235 eq.         | 1.23E-01 | 1.83E-03 | 5.01E-03 | NR    | 0.00E+00 | 1.99E-04 | 0.00E+00 | 3.33E-03 | -6.99E-03 |
| Potential Comparative Toxic Unit for ecosystems (ETP-fw)   | CTUh                 | 2.22E+01 | 2.93E-01 | 5.95E+01 | NR    | 0.00E+00 | 3.19E-02 | 0.00E+00 | 6.52E-01 | -1.46E-01 |
| Potential Comparative Toxic Unit for humans (HTP-c)        | CTUh                 | 9.79E-10 | 7.80E-12 | 3.30E-11 | NR    | 0.00E+00 | 8.49E-13 | 0.00E+00 | 2.88E-10 | -4.28E-12 |
| Potential Comparative Toxic Unit for humans (HTP-nc)       | CTUh                 | 3.84E-08 | 2.67E-10 | 1.90E-09 | NR    | 0.00E+00 | 2.91E-11 | 0.00E+00 | 5.32E-10 | -1.29E-10 |
| Potential soil quality index (SQP)                         | Dimensionless        | 1.03E+01 | 4.13E-01 | 2.44E-01 | NR    | 0.00E+00 | 4.49E-02 | 1.00E+00 | 1.81E-01 | -4.05E-02 |

## 21. Standard 7.2.4 Use of natural resources

### TEKNOFLOOR AQUA

| Use of natural resources                                                                                   | Unit           | A1-A3    | A4       | A5       | B1-B7 | C1       | C2       | C3       | C4       | D         |
|------------------------------------------------------------------------------------------------------------|----------------|----------|----------|----------|-------|----------|----------|----------|----------|-----------|
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials         | MJ             | 1.48E+00 | 4.62E-03 | 1.42E-02 | NR    | 0.00E+00 | 5.03E-04 | 0.00E+00 | 4.46E-04 | -3.44E-02 |
| Renewable primary energy resources used as raw materials                                                   | MJ             | 1.53E-02 | 2.15E-09 | 3.06E-09 | NR    | 0.00E+00 | 2.35E-10 | 0.00E+00 | 1.07E-09 | -1.28E-09 |
| Total use of renewable primary energy resources                                                            | MJ             | 1.49E+00 | 4.62E-03 | 1.42E-02 | NR    | 0.00E+00 | 5.03E-04 | 0.00E+00 | 4.46E-04 | -3.44E-02 |
| Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials | MJ             | 2.05E+01 | 3.63E-01 | 6.49E-01 | NR    | 0.00E+00 | 3.95E-02 | 0.00E+00 | 5.14E-02 | -3.67E-01 |
| Non renewable primary energy resources used as raw materials                                               | MJ             | 1.26E-06 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  |
| Total use of non renewable primary energy resources                                                        | MJ             | 1.63E+01 | 3.63E-01 | 6.49E-01 | NR    | 0.00E+00 | 3.95E-02 | 0.00E+00 | 5.14E-02 | -3.67E-01 |
| Use of secondary material                                                                                  | kg             | 0.00E+00 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  |
| Use of renewable secondary fuels                                                                           | MJ             | 0.00E+00 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  |
| Use of non-renewable secondary fuels                                                                       | MJ             | 0.00E+00 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  |
| Net use of fresh water (7.2.3)                                                                             | m <sup>3</sup> | 1.56E-02 | 4.30E-05 | 2.23E-04 | NR    | 0.00E+00 | 4.68E-06 | 0.00E+00 | 5.49E-05 | -1.68E-04 |

## OTHER INDICATORS (Standard 7.2.5)

## 22. Biogenic carbon content table 9, 7.2.5 Unit (expressed per declared unit).

### TEKNOFLOOR AQUA

| Biogenic carbon content              | Unit | A3       | A1-A3    | A4       | A5       | B1-B7 | C1       | C2       | C3       | C4       | D        |
|--------------------------------------|------|----------|----------|----------|----------|-------|----------|----------|----------|----------|----------|
| Biogenic carbon content in product   | kg C | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Biogenic carbon content in packaging | kg C | 1.10E-02 | 1.10E-02 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

## 23. End of life - Waste

### TEKNOFLOOR AQUA

| Waste categories             | Unit | A1-A3    | A4       | A5       | B1-B7 | C1       | C2       | C3       | C4       | D        |
|------------------------------|------|----------|----------|----------|-------|----------|----------|----------|----------|----------|
| Hazardous waste disposed     | kg   | 3.85E-03 | 0.00E+00 | 7.10E-02 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 3.48E-01 | 0.00E+00 |
| Non-hazardous waste disposed | kg   | 1.91E-02 | 0.00E+00 | 8.69E-02 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Radioactive waste disposed   | kg   | 0.00E+00 | 0.00E+00 | 0.00E+00 | NR    | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

## 24. Other environmental indicators.

### TEKNOFLOOR AQUA

| Other environmental indicators | Unit             | A1-A3    | A4       | A5       | B1-B7 | C1       | C2       | C3       | C4       | D        |
|--------------------------------|------------------|----------|----------|----------|-------|----------|----------|----------|----------|----------|
| Components for reuse           | kg               | 0,00E+00 | 0,00E+00 | 0,00E+00 | NR    | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling        | kg               | 0,00E+00 | 0,00E+00 | 0,00E+00 | NR    | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery  | kg               | 0,00E+00 | 0,00E+00 | 0,00E+00 | NR    | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy (heat)         | MJ/energy source | 0,00E+00 | 0,00E+00 | 0,00E+00 | NR    | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

**SCENARIOS AND ADDITIONAL TECHNICAL INFORMATION (Standard 7.3)**
**25. Energy in the manufacturing phase (Standard 7.3. A3)**

| Parameter                                                                                         | Quantity     | Data quality                                                                                                      |
|---------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------|
| A3 Electricity information and CO <sub>2</sub> emission kg CO <sub>2</sub> eq./kWh                | <b>0.091</b> | Electricity has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes.      |
| A3 District heating/cooling data quality and CO <sub>2</sub> emissions kg CO <sub>2</sub> eq./kWh | <b>0.014</b> | District heating has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes. |
| A3 Diesel CO <sub>2</sub> emissions kg CO <sub>2</sub> eq./kWh                                    | <b>0.027</b> | Diesel has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes.           |
| A3 Propane CO <sub>2</sub> emissions kg CO <sub>2</sub> eq./kWh                                   | <b>0.025</b> | Propane has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes.          |

**26. Additional technical information, transport to the building site (Standard 7.3.2, A4)**

| Parameter                                                                                                                                                                                                                 | Quantity | Data quality                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Fuel type and consumption of vehicle or vehicle type used for transport e.g. long distance truck, boat etc. Litre of fuel type per distance or vehicle type, Commission Directive 2007/37/EC (European Emission Standard) |          | Default transportation mode and distances have been used in accordance with the PEFCR – Decorative Paint document version 1. Published by the Technical Secretariat Decorative Paints from the European Council of the Paint, Printing Ink and Artists' Colours Industry (CEPE) and reviewed in April 2018. |
| Distance (average distance of the transportation) km                                                                                                                                                                      | -        | Idem                                                                                                                                                                                                                                                                                                        |
| Capacity utilisation % (including empty returns)                                                                                                                                                                          | -        | idem                                                                                                                                                                                                                                                                                                        |
| Bulk density of transported products kg/m <sup>3</sup>                                                                                                                                                                    | -        | idem                                                                                                                                                                                                                                                                                                        |
| Volume capacity utilisation factor (factor = 1 or <1 tai ≥ 1 for compressed or nested packaged products)                                                                                                                  | -        | n/a                                                                                                                                                                                                                                                                                                         |

**27. End-of-life process description (7.3.4), module C**

| Process flow                                              | Unit<br>(expressed per functional unit or per declared unit of components products or materials and by type of material) | Value kg/kg<br>Data quality |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| Collection process specified by type                      | kg collected separately                                                                                                  | -                           |
|                                                           | kg collected with mixed construction waste                                                                               | 1                           |
| Recovery system specified by type                         | kg for re-use                                                                                                            | -                           |
|                                                           | kg for recycling                                                                                                         | -                           |
|                                                           | kg for energy recovery                                                                                                   | 1                           |
| Disposal specified by type                                | kg product or material for final deposition                                                                              | -                           |
| Assumptions for scenario development, e.g. transportation | units as appropriate                                                                                                     | -                           |

\*These values are based on current estimation on end-of-life processes

## 28. Other technical information

| Technical information                                               | N/mm <sup>2</sup> |
|---------------------------------------------------------------------|-------------------|
| Compressive strength in the direction of cause                      | n/a               |
| Compressive strength in the direction of cause perpendicular to the | n/a               |
| Tensile strength in the direction of cause                          | n/a               |
| Bending strength                                                    | n/a               |
| Modulus module                                                      | n/a               |
| Shear                                                               | n/a               |
| Density                                                             | n/a               |

## 29. Additional information (Standard 7.4)

### Emissions to soil

The information is not available

### Emissions to water

The information is not available

### Emissions to indoor air

During application VOC emissions are released.

### Product information

TEKNOFLOOR AQUA is a waterborne coating for indoor and outdoor wooden surfaces. The coatings are manufactured in one location. It is sold mainly in Europe.

Application method: Brush, roller and spray

Pack size:

TEKNOFLOOR AQUA: 0.9 l, 2.7 l, 9 l.

## 30. Reference of the common information

- EN 15804:2012+A2:2019 Sustainability of construction works. Environmental product declarations. Core rules for the product category of construction products, of 2019.
- ISO 14040/14044 on Life Cycle Assessments
- Product Environmental Footprint Category Rules - Decorative Paints version 1.0, 2018. Developed by the Technical Secretariat Decorative Paints of the European Council of the Paint, Printing Ink and Artists' Colours Industry.
- Sphera GaBi Software-System and Database for Life Cycle Engineering. Copyright 1992-2018 Sphera.
- Personal communication with Chloé Glotin, LCA specialist, Teknos, 2022.
- Raw materials LCI database for the European Council of the Paint, Printing Ink and Artists' Colours Industry (CEPE), version 3.0, IVL Swedish Environmental Research Institute, 2016
- Wernet, G., Bauer, C., Steubing, B., Reinhard, J., Moreno-Ruiz, E., and Weidema, B., 2016. The ecoinvent database version 3 (part I): overview and methodology. The International Journal of Life Cycle Assessment, [online] 21(9), pp.1218–1230. Available at: <http://link.springer.com/10.1007/s11367-016-1087-8>

## 31. Product information (volunteer, verified information)

n/a