



SW (side wall)
2pcs




BW (back wall)
3pcs




Left lid
1pc




Middle lid
1pc




Right lid
1pc




Door 1
1pc




Door 2
2pcs




Middle element support
4pcs




Connection bar
3pcs




Lid support
3pcs




Door support
3pcs




P 1-2pc




P2 -2pcs



P3-2pcs



P4-2pcs



Support
3pcs




Bracket
6pcs




Chain
3pcs



Lid lock
3pcs




Hinge
6pcs



Door lock
3pcs

No	Fixing kit	Qty
1	6,3x70mm screw	6
2	Washer	6
3	70mm screws	30
4	60mm screws	16
5	25mm screws	99
6	20mm screws	18
7	20mm round head screws	6


middle element support



Use 60mm screws to connect 2 pcs of the middle element support between the posts.

Middle element

Use 70mm screws to connect the side wall panels and the back wall panels.



Bracket
Use 25mm screws

connection bar

P1

P2

BW

SW

BW

BW

SW

80mm


P2

P1

Door support
Use 2x25mm screws

Support
Use 25mm screws

Use 6,3x70mm screws to connect the lid. Washer put between the post and lid frame





Use 25mm screw to hold the lid support




Lid support connect from door side with one 25mm screw

Lid lock
Use 25mm screws

Use round head screws to connect the chain



connect the hinges with 25mm screws



Door lock connect with 20mm screws