




SW (side wall)
2pcs




BW (back wall)
2pcs




Lid 1




Lid 2




Door 1
1pcs




Door 2
1pcs




Middle element
support-2pcs




Connection bar-2pcs




Lid support-2pcs




Door support-2pcs




P1-2pcs




P2-2pcs



P3-1pcs




P4-1pcs



Support
2pcs




Bracket
4pcs




Chain
2pcs



Lid lock
2pcs



Hinge
4pcs




Door lock
2pcs

No	Fixing kit	Qty
1	6,3x70mm screw	4
2	Washer	4
3	70mm screws	24
4	60mm screws	8
5	25mm screws	66
6	20mm screws	12
7	20mm round head screws	4

middle element support

NB! Drill the pilot holes for the screws




Use 60mm screws to connect 2pcs of the Det 1 between the posts.

Middle element

Bracket
Use 25mm screws


Use 70mm screws to connect the side wall panels and the back wall panels.



Door support
Use 2x25mm screws


Support
Use 25mm screws

Use 6,3x70mm screws to connect the lid. Washer put between the post and lid frame



Use 25mm screw to hold the lid support

Lid support connect from door side with one 25mm screw




Use round head screws to connect the chain



Lid 1

Lid 2

Lid lock
Use 25mm screws



connect the hinges with 25mm screws



Door lock connect with 20mm screws

door 1

door 2

