

PIR presence sensor 360° with 3 detectors, IP65

Marka: Orno | Symbol: OR-CR-255 | Ean: 5902560328127

ORNO



PRODUCT DESCRIPTION

Passive infrared sensor (triple sensor system with detectors positioned at a specific angle) For indoor and outdoor usage Collaborates with LED lighting Regulation: lighting time (TIME) and the sensitivity of the light intensity (LUX) Greater accuracy (detection of even minor movements) Suitable for large rooms e.g. warehouses, waiting rooms, etc.

TECHNICAL DATA

General information:

Max. load:	2000 W
Max. load of the LED light source:	500 W
Degree of protection (IP):	65
Relay output:	Yes
Nominal voltage:	230V~, 50Hz
Presence detector:	Yes
Colour:	white
Installation:	surface mounting
Dimensions of the sensor - depth (mm):	58.3 mm
Detection angle:	360°
Detection range:	Ø20 m
Adjustable daylight sensor (LUX):	Yes
Daylight sensor adjustment range (LUX):	<3–2000lux
Adjustable time setting (TIME):	Yes
Lighting time adjustment range (TIME):	min: 10 sek. ± 3 sek.; max: 30 min. ± 2 min.
Adjustment of motion detection range (SENS):	No



