

## ENTIKO DC, wireless battery-powered doorbell, learning system, 60 sounds, 300m, white



Marka: **ORNO Home** | Symbol: **OR-DB-RA-173/W** | Ean: **5908254844959**



### PRODUCT DESCRIPTION

The wireless doorbell ENTIKO DC is a functional battery-operated device combined with new technologies. Designed for those who appreciate not only comfort of use but also the option of sound personalization.

The installation is simple and intuitive. Simply place the transmitter on a door or wicket, and the receiver in any place in the house. The receiver is powered by three AA batteries (not included). The transmitter is powered by one CR2032 battery - included in the set.

The range in the open field is 300m; thus, you may place the transmitter away from the house with no fear of losing the signal. What is more, the IP55 rate protects the transmitter from rain and dust ensuring reliability even in hard weather conditions.

There is a wide range of ring tones to choose from to meet the user's expectations. ENTICO DC has as many as 60 available sounds and 5-stage volume control to adjust it to one's own preferences.

The built-in three signalling modes (visual-acoustic, visual, acoustic) facilitates to adjust the doorbell to the user's needs and the time of the day. The visual indication works well even when the ring tone is muted or turned off.

The aesthetic white colour of the transmitter and receiver makes the ringtone look elegant. Thanks to the learning system, the set may be expanded with additional transmitters, which makes it easily adaptable to one's own needs.

## TECHNICAL DATA

### General information:

|  |                 |
|--|-----------------|
| <b>Wireless:</b>   | tak             |
| <b>Max. transmission range [m]:</b>                            | 300             |
| <b>Frequency [MHz]:</b>  | 433,92 MHz      |
| <b>Possibility of extension by an additional transmitters:</b> | tak             |
| <b>Other features:</b>   | learning system |

### Receiver:

|  |      |
|--|------|
| <b>Type of current (receiver):</b>             | DC   |
| <b>Nominal voltage [V]:</b>                    | 4.5  |
| <b>Battery - type and quantity (receiver):</b> | 3xAA |
| <b>Built-in battery (receiver):</b>            | nie  |
| <b>Electricity consumption [A]:</b>            | 0.15 |
| <b>Number of ringtones:</b>                    | 60   |
| <b>Loudness [dB]:</b>                          | 92   |
| <b>Volume adjustment:</b>                      | tak  |

|                               |                   |
|-------------------------------|-------------------|
| Volume adjustment range [dB]: | 0-92              |
| Optical indication:           | tak               |
| Mounting method:              | Montaż natynkowy  |
| Degree of protection (IP):    | IP20              |
| Housing material (receiver):  | Tworzywo sztuczne |
| Colour housing:               | Biały             |
| Width (receiver) [mm]:        | 85                |
| Height (receiver) [mm]:       | 85                |
| Depth (receiver) [mm]:        | 33                |

## Transmitter:

|  |                   |
|--|-------------------|
| Type of current (transmitter):             | DC                |
| Nominal voltage (transmitter) [V]:         | 3                 |
| Battery - type and quantity (transmitter): | 1xCR2032          |
| Built-in battery (transmitter):            | tak               |
| Transmitter max. power [mW]:               | 10                |
| Degree of protection (IP) (transmitter):   | IP55              |
| With lighting:                             | tak               |
| With name plate:                           | tak               |
| Housing material (transmitter):            | Tworzywo sztuczne |
| Colour (transmitter):                      | Biały             |
| Width (transmitter) [mm]:                  | 30                |
| Height (transmitter) [mm]:                 | 56                |
| Depth (transmitter) [mm]:                  | 20                |



