

# Damixa Silhouet, 1-handle kitchen mixer

Holder/Issued to

## FM Mattsson Mora Group Danmark ApS

Østbirkvej 2, 5240 Odense NØ, Denmark.

Organisation number: 56416218.

Tel: +45 63102210, fax: +45 63102209

E-mail: [danmark@fmm-mora.com](mailto:danmark@fmm-mora.com) Web: [www.damixa.com](http://www.damixa.com)

### Product description

Damixa Silhouet 1-handle mixer for kitchen, with or without shut off valve for dishwasher.

The swivel is limited to 120°. Mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and has connection G 3/8".

### Intended use

Single handle mixer intended for drinking water.

### Trade name

1-handle kitchen mixer,

Damixa Silhouet chrome with dishwasher shut off and connection G 3/8", Damixa no. 740810000.

Damixa Silhouet black silk with dishwasher shut off and connection G 3/8", Damixa no. 740816100.

Damixa Silhouet steel with dishwasher shut off and connection G 3/8", Damixa no. 740816600.

Damixa Silhouet brass with dishwasher shut off and connection G 3/8", Damixa no. 740817700.

Damixa Silhouet chrome with connection G 3/8", Damixa no. 740860000.

Damixa Silhouet black silk with connection G 3/8", Damixa no. 740866100.

Damixa Silhouet steel with connection G 3/8", Damixa no. 740866600.

Damixa Silhouet brass with connection G 3/8", Damixa no. 740867700.

### Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Tap water installations*	6:62,	1 <sup>st</sup> sentence and 2 <sup>nd</sup> paragraph and general recommendation
Tap water flow	6:623	1 <sup>st</sup> sentence
Design	6:625,	1 <sup>st</sup> and 4 <sup>th</sup> paragraph

\*Mixers comply with Boverket's (the National Board of Housing, Building and Planning) updated threshold value for max. amount of dissolved lead as described in BBR 21, 2014-06-17.

Type approval SC0242-18 | 2018-03-26

RISE Research Institutes of Sweden AB | Certification  
Box 857, SE-501 15 Borås, Sweden  
Phone: +46 10-516 50 00  
certifiering@ri.se | www.ri.se

2018-01-30



8P02676



### Associated documents

Installation instruction Damixa Silhouet, version 10.17 - 20182.00.  
User instruction Damixa, version 12.06 - 12676.00.

### Control

The factory production control (FPC) is monitored by an independent inspection body.  
Control agreement: 210-17-0103. Inspection body: RISE Research Institutes of Sweden AB.

When the building proprietor performs inspection at the building, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this approval is based.

### Manufacturing places

Production control includes the following places:  
FM Mattsson Mora Group Danmark ApS Odense and production site 912350.

### Marking

The products are to be marked at the factory.  
The marking consists of a text on every product and packing and includes:

Distributor*	Damixa
Product type designation	trade name
Consecutive manufacture year and month*	yy.mm
Type approval number	SC0242-18
Boverket's registered trade mark	†
RISE Accreditation number	1002
Certification body and Inspection body	RISE

\*text on mixer

### Basis for judgement/approval

Report 7P04475-18A and 7P04475E from RISE Research Institutes of Sweden AB.  
Report SBF2015F0290 from SINTEF, Norway.  
Report 57214216-1 and 7310406-01 from LGA, Germany.

### Comments

Mixers are approved in accordance with SS-EN 817.

Classification of sound properties has been approved in accordance with EN ISO 3822.  
Group 1: max 20dB (A) Lap at 0,3 MPa.  
Group 2: max 30dB (A) Lap at 0,3 MPa.  
Group 3: not classified.

The mixers are classified in group 1.

**Validity**

Valid through 2023-03-25.

The validity of this approval expires when the characteristics included in this approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Ingvar Pettersson

Marcus Tillman

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence.*